

A.Y.2018-19

FINAL YEAR

RESULT



Sai Spurthi Institute Of Technology

(Approved By AICTE, Affiliated to JNTU, Hyderabad .

ACADEMIC AND EXAMINATION BRANCH

SSIT_EB_STU_RA_A.Y_F009

DATE: 05.08.2019


EXAMINATIONS HELD ON: MAY-2019

A.Y:2018-2019 (EVEN SEM)

UG & PG FINAL SEMESTER BRANCH WISE RESULT ANALYSIS

2015 ADMITTED BATCH

S.NO	PROGRAM NAME	APPEARED	PASSED	PASS PERCENTAGE %	H.O.D SIGN
1	EEE	61	43	70.49	<i>[Signature]</i>
2	MECH	68	37	54.41	<i>[Signature]</i>
3	ECE	76	68	89.47	<i>[Signature]</i>
4	CSE	56	50	89.28	<i>[Signature]</i>
OVER ALL		261	198	75.86	
5	PG-MBA (2017-ADMITTED)	40	16	40.00	



[Signature]
 Officer In - Charge of Exams
 Officer incharge of Exam's
 Sai Spurthi Institute of Technology
 B. Gangaram, Sathupally, 507 303.

[Signature]
 Chief Superintendent

Chief Superintendent
 Sai Spurthi Inst. of Technology
 B. Gangaram, SATHUPALLY
 Khammam Dist. 507303



[Signature]
 PRINCIPAL
 SAI SPURTHI INSTITUTE OF TECHNOLOGY
 B. GANGARAM(V), SATHUPALLY(M)
 PIN : 507 303, Khammam Dist. T.S.

IV-II B.TECH REGULAR EXAMS RESULT- MAY-2019-EEE

		CWV	IOMP	PW	SEMI	EHVAVT	FHVDCF	RES		
	Hallticket No	12815	12818	12836	12850	128BH	128BR	128ED	GT	%
1	15C51A0201	81	43	187	42	47	50	46	496	70.86
2	15C51A0202	60	30	130	32	(21)	(26)	(34)	333	47.57
3	15C51A0203	81	42	189	46	47	52	56	513	73.29
4	15C51A0204	91	44	190	47	50	61	(45)	528	75.43
5	15C51A0205	91	45	192	45	53	66	56	548	78.29
6	15C51A0206	82	43	190	45	48	68	60	536	76.57
7	15C51A0207	87	43	190	45	46	57	47	515	73.57
8	15C51A0208	84	41	183	41	45	48	46	488	69.71
9	15C51A0209	91	43	191	43	50	51	59	528	75.43
10	15C51A0211	95	48	195	49	66	75	79	607	86.71
11	15C51A0212	91	43	189	42	(38)	48	55	506	72.29
12	15C51A0213	88	43	186	46	48	49	57	517	73.86
13	15C51A0214	88	42	184	40	(29)	(27)	52	462	66.00
14	15C51A0215	83	44	191	43	50	(32)	53	496	70.86
15	15C51A0216	91	43	192	44	46	48	54	518	74.00
16	15C51A0217	87	45	193	42	54	54	53	528	75.43
17	15C51A0218	80	43	189	46	52	(32)	58	500	71.43
18	15C51A0219	81	42	184	45	(36)	48	59	495	70.71
19	15C51A0220	91	46	193	47	54	49	60	540	77.14
20	15C51A0221	83	42	187	41	48	51	55	507	72.43
21	15C51A0222	89	45	193	44	55	58	66	550	78.57
22	15C51A0223	96	43	189	46	51	62	68	555	79.29
23	15C51A0224	91	43	185	42	49	49	57	516	73.71
24	15C51A0225	78	35	167	35	45	45	48	453	64.71
25	15C51A0226	76	42	190	47	50	67	53	525	75.00
26	15C51A0227	88	42	190	46	46	48	49	509	72.71
27	15C51A0229	95	46	194	48	51	59	61	554	79.14
28	15C51A0231	83	43	188	45	57	68	57	541	77.29
29	15C51A0232	72	40	184	45	56	52	54	503	71.86
30	15C51A0233	91	46	191	43	55	65	57	548	78.29
31	15C51A0234	85	41	187	46	50	61	65	535	76.43
32	15C51A0236	85	39	182	42	(33)	45	43	469	67.00
33	15C51A0237	93	43	190	43	50	67	57	543	77.57
34	15C51A0238	96	45	192	47	71	71	69	591	84.43

35	15C51A0239	96	48	193	48	51	75	70	581	83.00
36	15C51A0241	80	38	170	40	47	44	(38)	457	65.29
37	15C51A0242	90	45	191	44	58	48	(45)	521	74.43
38	15C51A0243	78	38	187	39	(30)	49	(31)	452	64.57
39	15C51A0244	93	44	193	42	64	74	51	561	80.14
40	15C51A0245	81	39	186	43	53	(34)	(34)	470	67.14
41	15C51A0247	96	46	191	47	56	66	56	558	79.71
42	15C51A0248	78	35	171	38	(30)	44	(38)	434	62.00
43	15C51A0249	96	48	196	48	66	75	77	606	86.57
44	15C51A0250	92	46	192	47	63	71	69	580	82.86
45	15C51A0251	78	40	186	40	50	62	57	513	73.29
46	15C51A0252	91	41	187	48	55	66	61	549	78.43
47	15C51A0253	88	42	189	45	52	68	58	542	77.43
48	15C51A0254	88	44	190	44	57	65	65	553	79.00
49	15C51A0255	60	30	120	31	(18)	(18)	41	318	45.43
50	15C51A0256	94	46	194	46	53	68	68	569	81.29
51	16C55A0201	95	47	195	48	52	70	68	575	82.14
52	16C55A0202	87	46	194	44	(38)	62	61	532	76.00
53	16C55A0203	94	47	191	47	51	58	49	537	76.71
54	16C55A0204	91	45	193	47	44	63	(40)	523	74.71
55	16C55A0205	89	45	189	48	45	62	(37)	515	73.57
56	16C55A0206	85	44	193	44	56	62	53	537	76.71
57	16C55A0207	94	46	194	48	68	66	52	568	81.14
58	16C55A0208	95	46	194	46	56	62	50	549	78.43
59	16C55A0209	96	48	196	49	69	73	81	612	87.43
60	16C55A0210	85	44	194	44	49	52	46	514	73.43
61	16C55A0211	60	30	135	33	(29)	47	(40)	374	53.43
GT		5274	2606	11351	2678	3007	3413	3324	31653	

10 06 10

F - 18
P - 43
6)

$\frac{43}{61} = 70.49\%$

Officer incharge of Exam's
Sai Spurthi Institute of Technology
B. Gangaram, Sathupally, 507 303.

IQAC

VSN
PRINCIPAL
SAI SPURTHI INSTITUTE OF TECHNOLOGY
B. GANGARAM(V), SATHUPALLY(M)
PIN : 507 303, Khammam Dist. T.S.

Chief Superintendent
Sai Spurthi Inst. of Technology
B. Gangaram, SATHUPALLY
Khammam Dist. 507303

B. Gangaram, Sathupally

IV-II B.TECH REGULAR EXAMS RESULT -MAY-2019-MECH

		CV	IOMP	PW	SEMI	GD	PPC	TQM		
	Hallticket No	12801	12819	12837	12851	128BT	128DZ	128EY	GT	%
1	14C51A0303	64	37	157	36	13	47	13	367	52.43
2	14C51A0348	50	34	140	34	36	19	13	326	46.57
3	15C51A0302	65	37	167	38	53	31	31	422	60.29
4	15C51A0303	72	40	170	42	65	47	29	465	66.43
5	15C51A0304	90	42	186	46	55	57	48	524	74.86
6	15C51A0305	77	37	154	38	46	47	34	433	61.86
7	15C51A0307	70	39	156	40	42	22	24	393	56.14
8	15C51A0309	68	40	169	40	59	46	31	453	64.71
9	15C51A0310	68	42	189	42	58	59	48	506	72.29
10	15C51A0312	77	45	191	40	53	72	50	528	75.43
11	15C51A0314	80	46	188	45	49	57	35	500	71.43
12	15C51A0315	68	39	152	40	49	58	28	434	62.00
13	15C51A0316	86	40	177	39	50	56	48	496	70.86
14	15C51A0317	86	47	191	48	53	50	46	521	74.43
15	15C51A0318	81	45	190	44	58	58	50	526	75.14
16	15C51A0320	84	47	191	47	51	64	48	532	76.00
17	15C51A0324	56	36	149	25	10	16	21	313	44.71
18	15C51A0325	74	47	190	44	68	52	49	524	74.86
19	15C51A0326	65	39	168	40	46	44	56	458	65.43
20	15C51A0327	68	40	180	39	42	39	46	454	64.86
21	15C51A0328	69	42	182	32	42	34	16	417	59.57
22	15C51A0329	75	40	177	46	47	48	48	481	68.71
23	15C51A0334	70	39	175	44	58	55	46	487	69.57
24	15C51A0335	70	38	167	41	51	52	60	479	68.43
25	15C51A0336	68	35	146	34	42	42	20	387	55.29
26	15C51A0338	68	35	162	40	42	43	36	426	60.86
27	15C51A0339	51	36	154	38	41	33	24	377	53.86
28	15C51A0341	75	40	177	45	48	40	45	470	67.14
29	15C51A0342	87	42	191	47	56	50	51	524	74.86
30	15C51A0344	84	44	192	47	50	73	49	539	77.00
31	15C51A0345	90	47	192	48	78	51	61	567	81.00
32	15C51A0346	75	40	191	46	57	56	52	517	73.86
33	15C51A0347	66	37	152	39	44	27	32	397	56.71
34	15C51A0348	71	38	174	41	50	48	33	455	65.00

35	15C51A0349	74	40	189	39	52	51	43	488	69.71
36	15C51A0350	53	36	150	38	44	54	31	406	58.00
37	15C51A0352	84	47	190	47	53	59	53	533	76.14
38	15C51A0353	83	47	176	46	71	67	64	554	79.14
39	15C51A0354	77	46	191	44	55	47	39	499	71.29
40	15C51A0356	87	47	190	48	54	54	58	538	76.86
41	15C51A0360	75	40	175	40	59	58	56	503	71.86
42	15C51A0361	75	42	170	39	56	46	49	477	68.14
43	15C51A0362	68	42	177	45	49	51	45	477	68.14
44	15C51A0363	83	40	181	45	48	47	45	489	69.86
45	15C51A0364	76	40	171	42	60	58	44	491	70.14
46	15C51A0365	74	42	176	42	57	49	45	485	69.29
47	15C51A0366	60	38	154	42	46	54	25	419	59.86
48	15C51A0367	74	45	167	42	58	64	48	498	71.14
49	15C51A0368	77	42	189	45	62	68	39	522	74.57
50	16C55A0301	69	40	153	40	51	53	32	438	62.57
51	16C55A0302	74	42	162	42	58	49	37	464	66.29
52	16C55A0303	83	46	192	44	62	66	53	546	78.00
53	16C55A0304	89	48	191	48	56	73	57	562	80.29
54	16C55A0305	86	47	191	48	72	53	51	548	78.29
55	16C55A0306	74	40	157	40	59	59	49	478	68.29
56	16C55A0307	74	40	189	41	48	60	30	482	68.86
57	16C55A0308	66	37	180	34	57	49	31	454	64.86
58	16C55A0309	77	38	167	42	65	44	33	466	66.57
59	16C55A0310	71	36	157	40	57	43	18	422	60.29
60	16C55A0311	82	44	168	44	68	51	44	501	71.57
61	16C55A0312	72	39	188	45	48	50	37	479	68.43
62	16C55A0313	77	42	187	41	65	47	44	503	71.86
63	16C55A0316	74	42	188	40	55	51	31	481	68.71
64	16C55A0317	72	40	177	40	63	73	44	509	72.71
65	16C55A0318	75	47	191	44	54	68	47	526	75.14
66	16C55A0319	72	37	167	37	49	57	42	461	65.86
67	16C55A0320	75	38	179	36	49	56	44	477	68.14
68	16C55A0321	68	34	155	35	20	28	26	366	52.29
GT		5018	2783	11872	2820	3542	3450	2755	32240	

2

Officer incharge of Exam's
i Spurthi InstitutE of Technology
Gangaram, Sathupally, 507 803.

37 = 54-41-1.
68 = 41-1

04 10 29

Chief Superintendent

SAI SPURTHI INSTITUTE OF TECHNOLOGY
B. GANGARAM(V), SATHUPALLY
Dist. J.

IV - II B.ETCH REGULAR EXAMS RESULT MAY-2019 - ECE

	Hallticket No	CV	IOMP	MP	SEMI	RS	SC	DSPPA	GT	%
		12865	12866	12869	12870	128EA	128EK	128FH		
1	14C51A04A3	94	43	183	46	52	76	42	536	76.57
2	15C51A0401	99	49	199	49	89	89	76	650	92.86
3	15C51A0402	93	48	197	46	74	72	58	588	84.00
4	15C51A0403	90	46	193	46	76	81	65	597	85.29
5	15C51A0405	85	43	181	35	45	(15)	(16)	420	60.00 ✓
6	15C51A0406	88	48	196	45	77	68	59	581	83.00
7	15C51A0407	75	35	162	(-1)	66	64	(22)	423	60.43 ✓
8	15C51A0408	87	49	197	46	70	77	65	591	84.43
9	15C51A0409	89	46	192	42	76	67	58	570	81.43
10	15C51A0410	92	49	198	50	85	86	69	629	89.86
11	15C51A0411	96	48	196	47	81	74	63	605	86.43
12	15C51A0412	50	37	163	35	71	62	52	470	67.14
13	15C51A0414	87	40	190	43	64	66	44	534	76.29
14	15C51A0415	95	49	199	49	77	81	58	608	86.86
15	15C51A0416	98	35	184	45	67	67	52	548	78.29
16	15C51A0417	93	49	199	48	82	89	66	626	89.43
17	15C51A0418	98	49	198	49	87	87	72	640	91.43
18	15C51A0419	89	35	183	37	(25)	(27)	(20)	416	59.43 ✓
19	15C51A0420	95	49	198	49	85	58	66	600	85.71
20	15C51A0421	80	35	182	42	74	60	57	530	75.71
21	15C51A0422	95	48	197	47	80	60	72	599	85.57
22	15C51A0423	80	40	182	40	57	(36)	41	476	68.00 ✓
23	15C51A0424	96	49	198	49	84	67	72	615	87.86
24	15C51A0425	90	48	195	45	78	81	59	596	85.14
25	15C51A0426	95	49	198	48	77	79	60	606	86.57
26	15C51A0427	85	46	195	46	84	88	72	616	88.00
27	15C51A0428	98	48	198	48	82	78	66	618	88.29
28	15C51A0429	80	35	155	(-1)	47	(36)	(38)	390	55.71 ✓
29	15C51A0430	98	49	199	49	84	83	69	631	90.14
30	15C51A0432	85	48	197	46	86	82	67	611	87.29
31	15C51A0433	80	35	140	38	75	70	52	490	70.00
32	15C51A0434	92	49	198	48	80	53	76	596	85.14
33	15C51A0436	85	37	163	43	59	70	62	519	74.14
34	15C51A0437	90	47	196	48	79	71	76	607	86.71
35	15C51A0438	90	47	195	48	77	(42)	68	567	81.00 ✓
36	15C51A0439	95	49	197	49	85	72	87	634	90.57
37	15C51A0440	50	35	135	(-1)	48	51	61	379	54.14 ✓
38	15C51A0441	82	45	189	46	54	56	60	532	76.00

39	15C51A0442	93	42	188	43	67	49	68	550	78.57
40	15C51A0443	85	39	189	42	72	66	80	573	81.86
41	15C51A0444	89	42	191	46	52	45	52	517	73.86
42	15C51A0445	95	49	198	49	75	70	89	625	89.29
43	15C51A0446	94	48	197	48	76	59	74	596	85.14
44	15C51A0447	96	49	199	49	81	63	68	605	86.43
45	15C51A0448	88	44	186	47	48	59	48	520	74.29
46	15C51A0449	90	47	196	48	70	65	66	582	83.14
47	15C51A0450	90	48	196	47	72	60	67	580	82.86
48	15C51A0451	90	46	194	46	52	49	50	527	75.29
49	15C51A0452	85	36	185	40	61	60	51	518	74.00
50	15C51A0453	85	48	194	46	84	69	65	591	84.43
51	15C51A0454	90	47	194	46	77	56	58	568	81.14
52	15C51A0456	85	48	197	48	76	58	52	564	80.57
53	15C51A0457	92	40	187	44	49	64	41	517	73.86
54	15C51A0458	93	48	197	48	78	79	58	601	85.86
55	15C51A0460	85	47	194	45	63	62	55	551	78.71
56	15C51A0462	96	49	198	50	76	72	74	615	87.86
57	15C51A0463	88	46	195	46	70	75	77	597	85.29
58	15C51A0464	98	49	199	50	86	85	90	657	93.86
59	15C51A0466	93	47	194	46	69	66	68	583	83.29
60	15C51A0467	92	45	193	45	86	78	67	606	86.57
61	15C51A0468	90	47	196	48	79	71	85	616	88.00
62	15C51A0469	95	48	197	48	84	63	89	624	89.14
63	15C51A0470	93	48	196	47	81	68	92	625	89.29
64	15C51A0471	96	49	198	48	56	78	75	600	85.71
65	15C51A0472	99	49	199	50	97	94	89	677	96.71
66	15C51A0473	90	48	197	48	68	81	85	617	88.14
67	15C51A0474	90	48	197	49	82	84	80	630	90.00
68	15C51A0475	95	49	198	48	79	91	68	628	89.71
69	15C51A0477	90	48	195	48	75	89	60	605	86.43
70	15C51A0478	85	38	189	40	65	81	49	547	78.14
71	16C55A0401	90	48	198	49	78	91	62	616	88.00
72	16C55A0402	96	49	198	50	70	81	60	604	86.29
73	16C55A0404	94	46	190	46	59	64	59	558	79.71
74	16C55A0405	92	47	193	47	83	87	74	623	89.00
75	16C55A0406	92	46	190	46	46	70	61	551	78.71
76	16C55A0407	96	46	194	48	73	87	82	626	89.43
GT		6814	3444	14503	3363	5454	5230	4829	48094	

✓

2

1

PC
 Officer in charge of Exam
 Sai Spurthi Institute of Technology
 B. Gangaram, Sathupally, 507 308

F - 08
 68
 03 01 06 08
 89.47-1

Chief Superintendent
 Sai Spurthi Inst. of Technology
 B. Gangaram, SATHUPALLY
 PIN - 507 303, Khammam Dist. T.S.
 INSTITUTE OF TECHNOLOGY
 B. GANGARAM(V), SATHUPALLY

IV -II B.TECH REGULAR EXAMS RESULT -MAY-2019-CSE

	Hallticket No	CV 12802	IOMP 12820	PW 12838	SEMI 12852	ADSN 128AA	MS 128CR	WS 128FD	GT	%
1	15C51A0501	74	42	186	48	75	56	55	536	76.57
2	15C51A0502	65	40	165	42	54	48	54	468	66.86
3	15C51A0503	91	45	195	49	65	55	62	562	80.29
4	15C51A0504	86	46	194	48	64	22	47	507	72.43
5	15C51A0505	69	40	178	46	72	58	54	517	73.86
6	15C51A0506	77	40	175	44	70	56	53	515	73.57
7	15C51A0508	64	41	169	45	61	51	54	485	69.29
8	15C51A0509	79	44	176	48	75	66	59	547	78.14
9	15C51A0511	80	42	176	48	73	57	63	539	77.00
10	15C51A0512	86	46	192	48	70	64	61	567	81.00
11	15C51A0513	69	41	165	45	38	59	56	473	67.57
12	15C51A0514	75	41	183	48	76	66	62	551	78.71
13	15C51A0515	60	38	151	41	62	48	45	445	63.57
14	15C51A0516	75	43	189	47	72	59	61	546	78.00
15	15C51A0517	82	45	193	48	76	59	57	560	80.00
16	15C51A0518	73	42	188	48	76	69	58	554	79.14
17	15C51A0519	73	44	185	44	66	49	53	514	73.43
18	15C51A0520	62	42	163	44	56	48	51	466	66.57
19	15C51A0521	74	43	166	43	70	58	53	507	72.43
20	15C51A0522	76	40	183	48	68	63	54	532	76.00
21	15C51A0524	71	41	176	48	76	61	59	532	76.00
22	15C51A0526	80	44	194	48	73	64	61	564	80.57
23	15C51A0527	88	46	194	50	76	67	64	585	83.57
24	15C51A0528	76	42	183	47	78	64	62	552	78.86
25	15C51A0529	72	39	170	48	63	56	56	504	72.00
26	15C51A0530	66	38	174	44	63	50	48	483	69.00
27	15C51A0531	77	42	186	47	72	55	53	532	76.00
28	15C51A0532	68	41	165	46	65	55	49	489	69.86
29	15C51A0533	68	40	165	44	60	44	49	470	67.14
30	15C51A0534	87	44	190	50	77	66	63	577	82.43
31	15C51A0535	75	40	182	45	65	53	51	511	73.00
32	15C51A0536	70	42	166	44	72	56	51	501	71.57
33	15C51A0537	65	38	164	43	74	55	56	495	70.71
34	15C51A0538	65	39	174	46	66	56	49	495	70.71
35	15C51A0539	79	44	194	50	75	60	59	561	80.14

36	15C51A0540	75	42	185	49	79	62	62	554	79.14
37	15C51A0541	64	35	154	45	71	58	57	484	69.14
38	15C51A0542	69	40	181	48	73	61	59	531	75.86
39	15C51A0543	68	42	168	48	52	66	46	490	70.00
40	15C51A0544	79	42	192	48	60	50	56	527	75.29
41	15C51A0545	67	35	153	40	(38)	51	41	425	60.71 ✓
42	15C51A0546	84	42	189	50	75	60	57	557	79.57
43	15C51A0547	73	41	167	48	48	48	63	488	69.71
44	15C51A0548	90	46	195	50	77	67	66	591	84.43 2
45	15C51A0549	73	40	180	44	72	49	58	516	73.71
46	15C51A0551	48	34	150	40	65	50	(28)	415	59.29 ✓
47	15C51A0553	79	43	178	49	49	65	62	525	75.00
48	15C51A0555	62	35	152	40	(35)	(48)	44	416	59.43
49	15C51A0556	81	44	193	49	78	64	68	577	82.43
50	15C51A0557	88	46	195	49	78	70	68	594	84.86 1
51	15C51A0558	65	43	173	46	67	49	50	493	70.43
52	15C51A0559	74	40	192	47	74	64	60	551	78.71
53	15C51A0560	80	44	192	49	73	63	63	564	80.57
54	16C55A0501	66	42	185	44	63	(22)	55	477	68.14 ✓
55	16C55A0502	74	39	186	48	65	60	60	532	76.00
56	16C55A0503	70	41	185	48	86	59	67	556	79.43
GT		4126	2321	9994	2601	3772	3159	3132	29105	

03 03 01

Officer incharge of Exam's
ii Spurthi Institute of Technology
B. Gangaram, Sathupally, 507303.

Total 56

$$\frac{50}{56} = 89.28\%$$

2019 - May

EEE → 43/61 = 70.49%
 MECH → 37/68 = 54.41%
 ECE → 68/76 = 89.47%
 CSE → 50/56 = 89.28%

$$\frac{198}{261} = 75.86\%$$



Chief Superintendent
Sai Spurthi Inst. of Technology
B. Gangaram, SATHUPALLY
Khammam Dist. 507303.

EEE → 40/57 = 70.17%
 MECH → 58/95 = 61.05%
 ECE → 73/102 = 71.56%
 CSE → 39/58 = 67.24%
 AEE → 18/21 = 85.71%

$$\frac{228}{333} = 68.46\%$$

SAI SPURTHI INSTITUTE OF TECHNOLOGY
B. GANGARAM(V), SATHUPALLY(M)
PIN : 507 303, Khammam Dist, T.S.

MBA -IV SEM REGULAR EXAMS RESULT -MAY -2019

Hallticket No	PSPW 74401	C-VIVA 74402	SM 744AA	CRM- 744AB	IHRM 744AC	IFM 744AD	IM 744AF	LCM 744AG	SIFD 744AH	MOS 744AK	TKM 744AM	RM 744AN	GT
1	17C51E0001	9	10	6	7		6			7			45
2	17C51E0002	9	10	6	6		6			6			37
3	17C51E0003	9	10	6		6			6			6	37
4	17C51E0005	9	10	6		7			6			6	44
5	17C51E0006	9	10	6	8		6			7			40
6	17C51E0007	9	10	6				7			6		38
7	17C51E0008	9	9	6		6			6			6	36
8	17C51E0009	10	10	6		7			6			6	45
9	17C51E0010	9	10	6		6			6			6	37
10	17C51E0011	9	9	6	7		6			6			43
11	17C51E0012	10	10	6				7			6		39
12	17C51E0013	10	10	6				7			7		47
13	17C51E0014	9	10	6					6			6	37
14	17C51E0016	9	10	6					6			6	37
15	17C51E0017	9	9	6					6			6	36
16	17C51E0018	9	10	6		7			6			6	44
17	17C51E0019	9	10	6		6			6			7	44
18	17C51E0020	9	10	6				7			6		44
19	17C51E0021	10	10	6				7			7		46
20	17C51E0023	9	9	6	6		6			6			36
21	17C51E0024	9	10	6							6		44
22	17C51E0025	9	10	6	7		7			7			46
23	17C51E0026	9	10	6		6			6			6	31
24	17C51E0027	9	10	6	7		7			7			46
25	17C51E0028	10	10	7	8		7			6			48

