

A.Y.2017-18
FINAL YEAR
RESULT



Sai Spurthi Institute Of Technology

(Approved By AICTE, Affiliated to JNTU, Hyderabad .

ACADEMIC AND EXAMINATION BRANCH

SSIT_EB_STU_RA_A.Y_F009

DATE: 20.08.2018


EXAMINATIONS HELD ON: APRIL-2018

A.Y:2017-2018

UG & PG FINAL SEMESTER BRANCH WISE RESULT ANALYSIS

2014 ADMITTED BATCH


S.NO	PROGRAMME NAME	APPEARED	PASSED	PASS PERCENTAGE %
1	B.TECH-EEE	57	51	89.47
2	B.TECH-MECH	95	82	86.31
3	B.TECH-ECE	102	92	90.19
4	B.TECH-CSE	58	47	81.03
5	B.TECH-ACE	21	18	85.71
OVER ALL		333	290	87.08



Officer In - Charge of Exams
Officer incharge of Exam's
Sai Spurthi Institute of Technology
B. Gangaram, Sathupally, 507 303,

VSU
PRINCIPAL
Sai Spurthi Institute of Techno!
B. Gangaram (V), Sathupally
PIN : 507 303, Khammam Dist, T.S.

[Signature]
Chief Superintendent



IV -II B.TECH -REGULAR EXAMS RESULT APRIL/2018-EEE

S.NO	Hall ticket No	CV	IOMP	PW	SEMI	EHVAC	FHFD	RES	GT	%
		11815	11818	11836	11850	118BH	118BR	118ED		
1	13C51A0203	60	35	150	42	31	25	52	395	56.43
2	14C51A0201	90	47	192	45	58	53	66	551	78.71
3	14C51A0202	94	44	188	43	42	52	57	520	74.29
4	14C51A0203	90	45	189	46	46	48	51	515	73.57
5	14C51A0204	94	45	192	48	55	49	57	540	77.14
6	14C51A0205	85	46	188	42	55	50	62	528	75.43
7	14C51A0206	92	47	196	48	65	56	67	571	81.57
8	14C51A0207	88	44	193	45	59	50	60	539	77.00
9	14C51A0208	90	45	190	47	66	49	50	537	76.71
10	14C51A0209	92	45	190	44	54	37	61	523	74.71
11	14C51A0210	92	46	188	44	36	40	49	495	70.71
12	14C51A0211	87	45	187	45	53	49	59	525	75.00
13	14C51A0212	85	44	185	43	53	43	49	502	71.71
14	14C51A0213	86	42	184	44	66	55	62	539	77.00
15	14C51A0214	87	44	188	47	57	51	56	530	75.71
16	14C51A0215	88	46	191	45	61	49	61	541	77.29
17	14C51A0216	91	46	190	43	68	46	58	542	77.43
18	14C51A0217	79	39	181	38	50	54	49	490	70.00
19	14C51A0218	91	45	192	46	55	72	63	564	80.57
20	14C51A0219	90	47	192	43	65	63	62	562	80.29
21	14C51A0220	87	45	192	45	74	72	63	578	82.57
22	14C51A0221	91	47	190	43	62	59	57	549	78.43
23	14C51A0222	92	45	188	47	50	52	51	525	75.00
24	14C51A0223	89	45	191	44	55	67	65	556	79.43
25	14C51A0224	86	45	191	46	58	55	50	531	75.86
26	14C51A0225	84	40	181	40	54	51	55	505	72.14
27	14C51A0226	78	39	177	38	47	29	49	457	65.29
28	14C51A0227	90	44	188	44	50	50	58	524	74.86
29	14C51A0228	93	47	192	48	69	55	60	564	80.57
30	14C51A0229	93	47	192	48	77	51	60	568	81.14
31	14C51A0230	90	46	190	47	66	49	62	550	78.57
32	14C51A0232	91	45	191	47	48	46	56	524	74.86
33	14C51A0233	93	46	191	47	75	57	67	576	82.29
34	14C51A0234	90	44	189	45	60	49	61	538	76.86
35	14C51A0235	86	43	187	44	64	49	58	531	75.86
36	14C51A0236	95	47	197	48	86	62	79	614	87.71
37	14C51A0237	90	45	193	47	74	48	52	549	78.43
38	14C51A0238	91	45	190	42	69	49	62	548	78.29
39	14C51A0239	87	42	187	44	58	53	59	530	75.71

40	14C51A0240	90	44	191	44	54	49	50	522	74.57
41	14C51A0241	91	45	193	48	61	53	64	555	79.29
42	14C51A0242	91	44	191	45	63	54	52	540	77.14
43	14C51A0243	90	46	193	47	57	52	49	534	76.29
44	14C51A0244	85	43	188	45	67	51	65	544	77.71
45	14C51A0245	86	44	189	44	61	49	51	524	74.86
46	14C51A0246	90	46	191	44	71	52	55	549	78.43
47	14C51A0247	94	44	188	46	60	45	49	526	75.14
48	14C51A0248	91	46	191	46	65	49	51	539	77.00
49	15C55A0201	94	46	191	47	61	49	56	544	77.71
50	15C55A0202	88	42	186	42	58	49	56	521	74.43
51	15C55A0203	90	45	189	44	55	47	52	522	74.57
52	15C55A0204	91	43	184	43	59	49	57	526	75.14
53	15C55A0206	90	46	191	47	64	47	50	535	76.43
54	15C55A0207	90	45	189	40	61	45	49	519	74.14
55	15C55A0208	80	40	184	40	33	48	49	474	67.71
56	15C55A0209	89	44	189	43	67	47	50	529	75.57
57	15C55A0210	90	47	191	47	48	25	50	498	71.14
GT		5057	2534	10752	2544	3327	2729	3230	30173	

02 OF 02

Officer In Charge Of Exams,
Officer incharge of Exam's
Sai Spurthi Institute of Technology
B. Gangaram, Sathupally, 507 303.

No. of Stu. appeared : 57
No. of stu. pass : 51
No. of stu. fail : 06
pass % : 89.47%

Chief Superintendent
Chief Superintendent
Sai Spurthi Inst. of Technology
B. Gangaram, SATHUPALLY
Khammam Dist. 507303



V.S.U.
PRINCIPAL
Sai Spurthi Institute of Technology
B. Gangaram (V), Sathupally
PIN : 507 303, Khammam Di

IV-II B.TECH REGULAR EXAMS RESULT APRIL-2018-MECH

S.NO	Hallticket No	CV	IOMP	PW	SEMI	GD	PLMH	PPC	GT	%
		11801	11819	11837	11851	118BT	118DT	118DZ		
1	14C51A0345	69	34	154	40	(15)	(27)	(11)	350	50.00
2	14C51A0301	71	43	187	40	43	43	45	472	67.43
3	14C51A0302	75	45	190	43	46	50	47	496	70.86
4	14C51A0304	78	44	185	48	42	41	43	481	68.71
5	14C51A0305	94	48	196	49	58	58	58	561	80.14
6	14C51A0306	87	48	195	48	48	46	55	527	75.29
7	14C51A0307	74	43	187	43	50	56	56	509	72.71
8	14C51A0308	92	47	194	48	59	53	60	553	79.00
9	14C51A0309	64	39	176	39	46	47	46	457	65.29
10	14C51A0310	59	42	180	43	52	(34)	(30)	440	62.86
11	14C51A0311	69	40	177	40	44	41	42	453	64.71
12	14C51A0312	92	44	188	43	50	46	52	515	73.57
13	14C51A0313	60	38	176	39	45	43	(25)	426	60.86
14	14C51A0314	72	45	185	42	46	47	44	481	68.71
15	14C51A0315	63	39	177	38	37	(40)	(24)	418	59.71
16	14C51A0316	82	45	191	43	56	56	54	527	75.29
17	14C51A0317	71	45	190	45	50	43	50	494	70.57
18	14C51A0318	79	48	195	46	51	54	53	526	75.14
19	14C51A0319	78	37	174	40	(26)	42	45	442	63.14
20	14C51A0320	94	48	196	49	58	60	60	565	80.71
21	14C51A0321	92	48	192	48	56	61	57	554	79.14
22	14C51A0322	64	40	179	38	(23)	(32)	(25)	401	57.29
23	14C51A0323	57	38	128	(-1)	(42)	(25)	(18)	307	43.86
24	14C51A0325	69	46	190	42	64	50	46	507	72.43
25	14C51A0326	81	44	182	43	59	52	46	507	72.43
26	14C51A0327	68	45	190	42	56	50	47	498	71.14
27	14C51A0328	64	46	190	46	61	52	59	518	74.00
28	14C51A0329	78	47	193	46	57	51	69	541	77.29
29	14C51A0330	83	45	192	47	41	56	56	520	74.29
30	14C51A0331	64	39	177	40	57	(37)	52	466	66.57
31	14C51A0332	81	47	196	48	59	50	63	544	77.71
32	14C51A0334	68	39	181	41	(36)	(39)	55	459	65.57
33	14C51A0335	89	48	195	46	65	56	69	568	81.14
34	14C51A0336	61	38	176	38	(36)	(26)	43	418	59.71
35	14C51A0337	76	48	196	47	71	53	64	555	79.29
36	14C51A0338	58	40	180	39	46	46	45	454	64.86
37	14C51A0339	71	47	190	45	53	49	58	513	73.29
38	14C51A0340	75	44	184	43	57	47	49	499	71.29
39	14C51A0341	72	47	192	41	47	49	63	511	73.00
40	14C51A0342	76	46	189	43	55	57	55	521	74.43
41	14C51A0343	78	46	191	39	61	49	49	513	73.29
42	14C51A0344	79	43	182	41	49	50	53	497	71.00
43	14C51A0345	81	40	181	40	48	43	50	483	69.00
44	14C51A0346	75	44	189	44	54	53	56	515	73.57
45	14C51A0347	77	45	189	47	50	56	57	521	74.43
46	14C51A0349	83	48	186	47	55	57	61	537	76.71
47	14C51A0350	58	42	178	40	44	49	47	458	65.43
48	14C51A0351	75	48	196	47	49	54	52	521	74.43
49	14C51A0352	69	40	182	41	48	46	46	472	67.43
50	14C51A0353	87	47	194	47	51	64	63	553	79.00
51	14C51A0354	77	39	179	40	48	56	46	485	69.29

52	14C51A0355	98	48	196	49	59	63	61	574	82.00
53	14C51A0356	79	40	180	38	43	46	56	482	68.86
54	14C51A0357	75	37	178	40	(41)	(41)	(34)	446	63.71
55	14C51A0358	89	48	196	48	46	60	59	546	78.00
56	14C51A0359	62	43	181	38	43	50	56	473	67.57
57	14C51A0360	77	45	182	41	55	48	47	495	70.71
58	14C51A0361	71	40	182	41	49	49	53	485	69.29
59	14C51A0362	79	42	187	44	49	52	63	516	73.71
60	14C51A0363	70	38	170	39	(37)	44	44	442	63.14
61	14C51A0364	70	40	180	41	67	56	44	498	71.14
62	14C51A0365	54	38	179	36	52	44	50	453	64.71
63	14C51A0366	70	40	183	40	48	47	55	483	69.00
64	14C51A0367	81	42	181	41	47	58	52	502	71.71
65	14C51A0369	77	42	180	40	50	59	51	499	71.29
66	14C51A0370	74	42	180	45	(22)	(41)	(32)	436	62.29
67	14C51A0371	70	40	169	39	46	54	46	464	66.29
68	14C51A0372	71	40	175	44	51	48	50	479	68.43
69	14C51A0373	77	44	191	39	47	56	62	516	73.71
70	14C51A0374	92	44	185	44	48	54	59	526	75.14
71	14C51A0375	90	47	196	49	48	63	69	562	80.29
72	14C51A0376	74	38	174	41	48	66	44	485	69.29
73	14C51A0377	77	41	184	46	47	53	53	501	71.57
74	14C51A0378	85	48	195	49	51	64	69	561	80.14
75	14C51A0379	75	44	192	45	54	69	65	544	77.71
76	14C51A0380	74	43	186	43	48	50	57	501	71.57
77	14C51A0381	85	47	193	47	51	64	68	555	79.29
78	14C51A0382	98	48	197	49	59	51	78	580	82.86
79	14C51A0383	57	44	187	36	49	51	48	472	67.43
80	14C51A0385	71	42	186	42	46	54	63	504	72.00
81	14C51A0386	73	43	187	39	46	47	58	493	70.43
82	14C51A0387	63	38	180	43	50	48	57	479	68.43
83	14C51A0388	71	40	184	44	50	57	60	506	72.29
84	14C51A0389	78	47	194	48	51	54	64	536	76.57
85	15C55A0301	74	40	183	40	44	41	46	468	66.86
86	15C55A0302	88	44	186	46	47	46	45	502	71.71
87	15C55A0304	85	45	191	46	55	56	47	525	75.00
88	15C55A0305	88	45	190	46	48	48	47	512	73.14
89	15C55A0306	92	46	190	47	58	65	55	553	79.00
90	15C55A0307	90	48	196	45	48	65	56	548	78.29
91	15C55A0308	76	43	186	41	56	58	49	509	72.71
92	15C55A0309	95	48	196	48	69	65	59	580	82.86
93	15C55A0310	73	46	192	43	55	58	51	518	74.00
94	15C55A0311	95	47	195	48	57	61	53	556	79.43
95	15C55A0312	93	48	196	49	68	53	54	561	80.14

1

1

02 of 02

Officer In Charge Of Exams
 Officer incharge of Exam's
 Sai Spurthi Institute of Technology
 B. Gangaram, Sathupally, 507 303.

No. of students appeared : 95

No. of students pass : 82

No. Students fail : 13

pass % : 86.31%

Chief Superintendent

Chief Superintendent
 Sai Spurthi Inst. of Technology
 B. Gangaram, SATHUPALLY
 Khammam Dist. 507303.



Principal
 Sai Spurthi Institute of Technology
 B. Gangaram (V), Sathupally (M)
 PIN : 507 303, Khammam Dist. T.S.

IV -II B. TECH REGULAR EXAMS RESULT -APRIL-2018-ECE

S.NO	Hallticket No	CV	IOMP	MW	SEMI	SC	TSSN	DSPA	GT	%
		11865	11866	11869	11870	118EK	118EW	118FH		
1	13C51A0406	60	35	165	(-1)	(13)	(19)	(14)	306	43.57
2	14C51A0401	81	44	192	43	66	50	(38)	514	73.43
3	14C51A0402	81	49	199	47	66	48	51	541	77.29
4	14C51A0403	84	49	199	49	61	57	50	549	78.43
5	14C51A0404	83	48	197	47	69	55	49	548	78.29
6	14C51A0405	80	40	188	43	66	57	46	520	74.29
7	14C51A0406	72	46	194	40	69	63	52	536	76.57
8	14C51A0408	83	48	196	43	74	55	54	553	79.00
9	14C51A0409	82	46	193	43	60	52	48	524	74.86
10	14C51A0410	82	35	183	40	59	44	(20)	463	66.14
11	14C51A0411	98	49	199	49	88	63	71	617	88.14
12	14C51A0412	75	47	196	44	80	51	60	553	79.00
13	14C51A0413	80	48	195	44	77	57	50	551	78.71
14	14C51A0414	83	49	199	48	79	51	64	573	81.86
15	14C51A0415	80	44	193	42	65	48	(41)	513	73.29
16	14C51A0416	83	48	197	48	76	54	59	565	80.71
17	14C51A0417	83	48	197	46	74	49	66	563	80.43
18	14C51A0418	98	49	199	49	80	71	62	608	86.86
19	14C51A0419	83	46	194	46	79	58	53	559	79.86
20	14C51A0420	75	40	185	45	63	61	49	518	74.00
21	14C51A0421	82	49	198	48	72	71	62	582	83.14
22	14C51A0422	81	49	198	47	62	62	56	555	79.29
23	14C51A0423	80	46	191	45	51	54	46	513	73.29
24	14C51A0424	85	49	197	47	69	61	51	559	79.86
25	14C51A0425	81	45	194	45	69	56	51	541	77.29
26	14C51A0426	82	35	181	40	50	48	(27)	463	66.14
27	14C51A0427	83	48	197	45	71	60	50	554	79.14
28	14C51A0428	81	48	193	44	63	43	51	523	74.71
29	14C51A0429	81	46	194	45	77	55	49	547	78.14
30	14C51A0431	88	49	198	49	64	53	52	553	79.00
31	14C51A0432	81	46	194	47	54	48	58	528	75.43
32	14C51A0433	83	46	193	45	64	56	60	547	78.14
33	14C51A0434	98	49	199	48	79	66	74	613	87.57
34	14C51A0435	83	48	195	44	60	53	64	547	78.14
35	14C51A0436	80	45	193	44	50	44	54	510	72.86
36	14C51A0437	80	47	194	43	57	50	49	520	74.29
37	14C51A0438	80	47	194	44	59	53	49	526	75.14
38	14C51A0439	80	48	194	44	(34)	49	50	499	71.29
39	14C51A0441	75	48	197	47	52	54	56	529	75.57
40	14C51A0442	80	49	198	48	69	55	74	573	81.86
41	14C51A0443	81	46	195	45	62	54	53	536	76.57
42	14C51A0444	81	49	199	49	72	64	61	575	82.14
43	14C51A0445	75	48	196	45	76	53	61	554	79.14
44	14C51A0446	75	40	188	44	49	42	50	488	69.71
45	14C51A0447	75	45	190	40	63	48	55	516	73.71
46	14C51A0448	81	45	188	40	48	42	46	490	70.00
47	14C51A0449	85	48	197	43	63	44	53	533	76.14
48	14C51A0450	75	49	198	45	70	53	55	545	77.86
49	14C51A0451	99	49	198	49	79	49	59	582	83.14
50	14C51A0452	83	48	196	47	67	45	60	546	78.00
51	14C51A0453	81	48	196	44	63	51	49	532	76.00
52	14C51A0454	83	48	197	46	56	53	52	535	76.43

1

2

53	14C51A0455	79	45	188	43	62	52	51	520	74.29
54	14C51A0456	75	43	188	42	(28)	50	(39)	465	66.43
55	14C51A0457	81	48	197	45	50	58	55	534	76.29
56	14C51A0458	81	48	198	46	53	56	56	538	76.86
57	14C51A0459	83	49	198	46	56	53	56	541	77.29
58	14C51A0461	80	48	197	47	49	53	48	522	74.57
59	14C51A0463	81	49	198	48	63	63	63	565	80.71
60	14C51A0464	81	49	198	47	56	57	49	537	76.71
61	14C51A0465	75	48	196	46	55	67	57	544	77.71
62	14C51A0466	83	49	196	45	62	67	50	552	78.86
63	14C51A0467	75	48	195	47	52	60	55	532	76.00
64	14C51A0468	80	47	194	45	57	55	52	530	75.71
65	14C51A0469	80	48	191	43	52	45	47	506	72.29
66	14C51A0470	81	47	193	44	47	56	53	521	74.43
67	14C51A0471	94	49	199	47	69	52	54	564	80.57
68	14C51A0472	80	35	182	41	53	46	49	486	69.43
69	14C51A0473	80	43	187	46	59	45	52	512	73.14
70	14C51A0474	81	48	196	47	64	55	50	541	77.29
71	14C51A0475	80	47	195	44	50	64	56	536	76.57
72	14C51A0476	81	47	192	46	55	47	51	519	74.14
73	14C51A0477	90	47	194	46	70	72	59	578	82.57
74	14C51A0478	80	47	193	44	64	61	66	555	79.29
75	14C51A0479	80	48	192	45	(38)	43	46	492	70.29
76	14C51A0480	81	46	193	45	57	49	52	523	74.71
77	14C51A0481	94	49	198	48	80	59	56	584	83.43
78	14C51A0482	86	49	197	47	75	57	65	576	82.29
79	14C51A0483	81	48	196	46	68	53	50	542	77.43
80	14C51A0484	81	45	188	44	54	48	52	512	73.14
81	14C51A0485	82	49	199	47	63	64	59	563	80.43
82	14C51A0486	81	49	198	48	71	61	56	564	80.57
83	14C51A0487	81	48	196	45	66	52	49	537	76.71
84	14C51A0488	81	48	197	46	62	53	49	536	76.57
85	14C51A0489	98	49	199	48	92	59	56	601	85.86
86	14C51A0490	83	48	197	47	70	50	49	544	77.71
87	14C51A0491	88	49	199	49	78	61	67	591	84.43
88	14C51A0492	81	49	199	48	85	49	59	570	81.43
89	14C51A0493	81	48	194	46	65	57	54	545	77.86
90	14C51A0494	81	49	199	49	72	76	61	587	83.86
91	14C51A0495	80	49	196	48	59	61	56	549	78.43
92	14C51A0496	65	35	173	40	(34)	44	47	438	62.57
93	14C51A0497	75	45	187	45	56	61	61	530	75.71
94	14C51A0498	81	47	195	43	48	45	55	514	73.43
95	14C51A0499	81	48	196	45	59	61	60	550	78.57
96	14C51A04A0	80	48	194	42	50	52	51	517	73.86
97	14C51A04A1	80	42	189	44	49	50	49	503	71.86
98	14C51A04A2	81	49	199	48	77	63	72	589	84.14
99	15C55A0401	83	48	196	47	(37)	58	49	518	74.00
100	15C55A0402	84	49	199	48	72	64	66	582	83.14
101	15C55A0403	81	48	195	46	64	60	56	550	78.57
102	15C55A0404	88	49	198	46	54	61	55	551	78.71

Officer In Charge Of Exams
 Officer incharge of Exam's
 Sai Spurthi Institute of Technology
 B. Gangaram, Sathupally, 507 303.



No. of Stu appeared : 102
 No. of Stu Marks : 92
 No. of Stu Fail : 10
 PRINCIPAL
 Sai Spurthi Institute of Technology
 B. Gangaram (V), Sathupally (M)
 PIN : 507 303, Khammam Dist. T.S.

Chief Superintendent
 Chief Superintendent
 Sai Spurthi Inst. of Technology
 B. Gangaram, SATHUPALLY
 Khammam Dist. 507303

IV -II B.TECH REGULAR EXAMS RESULT -APRIL-2018-CSE

S.NO	Hallticket No	CV	IOMP	PW	SEMI	ADHDC	MS	WS	GT	%
		11802	11820	11838	11852	118AA	118CR	118FD		
1	13C51A0519	56	35	120	35	(25)	(26)	(17)	314	44.86
2	13C51A0530	65	35	130	38	44	52	66	430	61.43
3	14C51A0501	65	38	123	41	(32)	44	(29)	372	53.14
4	14C51A0502	70	39	135	42	46	44	(34)	410	58.57
5	14C51A0503	50	30	118	35	(22)	(27)	(17)	299	42.71
6	14C51A0504	85	43	178	48	46	50	47	497	71.00
7	14C51A0505	88	42	180	48	47	48	49	502	71.71
8	14C51A0506	70	43	176	46	46	47	52	480	68.57
9	14C51A0507	90	49	193	49	48	46	63	538	76.86
10	14C51A0508	65	39	178	46	49	46	(33)	456	65.14
11	14C51A0509	90	48	197	48	47	46	55	531	75.86
12	14C51A0510	85	44	175	48	48	48	59	507	72.43
13	14C51A0511	75	40	172	46	47	47	50	477	68.14
14	14C51A0512	70	40	179	45	46	46	46	472	67.43
15	14C51A0513	88	46	193	48	46	51	49	521	74.43
16	14C51A0514	60	35	138	39	(31)	(22)	(25)	350	50.00
17	14C51A0515	99	49	198	49	56	56	65	572	81.71
18	14C51A0516	65	36	138	38	(32)	(37)	(35)	381	54.43
19	14C51A0517	60	42	182	39	46	45	47	461	65.86
20	14C51A0518	65	40	131	39	(27)	(23)	(29)	354	50.57
21	14C51A0519	98	49	198	49	52	56	65	567	81.00
22	14C51A0520	89	47	193	48	51	51	61	540	77.14
23	14C51A0521	75	36	168	45	48	49	60	481	68.71
24	14C51A0522	65	35	135	42	61	56	48	442	63.14
25	14C51A0523	89	45	183	43	54	45	47	506	72.29
26	14C51A0525	75	43	173	46	48	50	49	484	69.14
27	14C51A0526	94	48	194	49	52	48	62	547	78.14
28	14C51A0527	65	40	159	45	49	44	64	466	66.57
29	14C51A0529	55	35	135	38	52	44	49	408	58.29
30	14C51A0530	67	42	179	42	52	45	60	487	69.57
31	14C51A0531	88	45	188	46	50	48	49	514	73.43
32	14C51A0532	75	42	180	48	51	54	61	511	73.00
33	14C51A0533	70	44	186	40	44	45	48	477	68.14
34	14C51A0534	97	48	197	49	48	50	63	552	78.86
35	14C51A0535	80	40	174	43	48	46	49	480	68.57
36	14C51A0536	82	44	185	48	48	50	54	511	73.00
37	14C51A0537	82	43	172	45	47	46	51	486	69.43
38	14C51A0538	84	45	187	48	52	54	53	523	74.71
39	14C51A0539	50	40	128	40	44	45	40	387	55.29
40	14C51A0541	95	46	194	49	53	47	60	544	77.71
41	14C51A0542	70	40	182	43	48	56	43	482	68.86
42	14C51A0543	50	30	111	(-1)	46	53	40	329	47.00
43	14C51A0544	75	43	181	46	48	44	52	489	69.86
44	14C51A0545	75	43	180	42	48	50	50	488	69.71
45	14C51A0546	74	44	186	48	54	52	56	514	73.43
46	14C51A0547	80	40	193	46	51	56	52	518	74.00
47	14C51A0548	86	45	194	48	50	45	65	533	76.14

1

2

48	14C51A0549	65	40	176	43	(32)	(27)	(31)	414	59.14
49	14C51A0550	80	44	189	46	48	45	51	503	71.86
50	14C51A0551	65	40	178	46	44	48	51	472	67.43
51	14C51A0552	70	35	179	(-1)	45	44	(32)	404	57.71
52	14C51A0553	75	40	172	45	48	52	54	486	69.43
53	14C51A0554	87	43	187	47	48	50	57	519	74.14
54	14C51A0555	80	42	178	43	47	52	57	499	71.29
55	14C51A0556	65	40	172	46	46	45	64	478	68.29
56	14C51A0557	80	45	192	48	50	46	58	519	74.14
57	14C51A0558	85	43	187	45	46	46	64	516	73.71
58	15C55A0501	75	44	175	43	43	45	55	480	68.57

02 of 02

No. of Students appeared: 58

No. of Students pass: 47

No. of Students fail: 11

pass % : 81.03%

Officer In Charge Of Exams
Officer in charge of Exam's
Sai Spurthi Institute of Technology
B. Gangaram, Sathupally, 507 303.

Chief Superintendent

Chief Superintendent
Sai Spurthi Inst. of Technology
B. Gangaram, SATHUPALLY
Khammam Dist. 507303




PRINCIPAL


Sai Spurthi Institute of Technology
B. Gangaram (V), Sathupally (M)
PIN : 507 303, Khammam Dist. T.S.

IV-II B.TECH REGULAR EXAMS RESULT APRIL-2018-ACE

		CV	IOMP	PW	SEMI	AFS	DAM	GISRS		
	Hallticket No	11814	11831	11848	11864	118AF	118BD	118BW	GT	%
1	13C51A3007	75	38	169	39	47	46	42	456	65.14
2	14C51A3001	95	49	196	50	76	71	60	597	85.29
3	14C51A3002	87	43	183	44	48	50	52	507	72.43
4	14C51A3004	76	39	179	39	49	54	51	487	69.57
5	14C51A3005	83	40	181	43	51	53	50	501	71.57
6	14C51A3007	89	48	192	41	60	62	55	547	78.14
7	14C51A3008	84	43	185	39	55	47	47	500	71.43
8	14C51A3009	82	46	187	42	67	60	55	539	77.00
9	14C51A3010	89	45	187	40	58	53	55	527	75.29
10	14C51A3012	85	42	180	43	50	50	51	501	71.57
11	14C51A3013	80	44	181	40	55	54	55	509	72.71
12	14C51A3014	92	48	193	48	58	57	58	554	79.14
13	14C51A3015	89	45	178	44	55	66	53	530	75.71
14	14C51A3016	88	47	192	47	62	52	59	547	78.14
15	14C51A3017	96	49	198	50	64	78	59	594	84.86
16	14C51A3018	78	40	174	41	50	63	44	490	70.00
17	14C51A3019	86	46	190	46	68	71	56	563	80.43
18	14C51A3020	79	42	177	42	58	62	52	512	73.14
19	14C51A3021	83	42	184	45	53	62	54	523	74.71
20	14C51A3022	84	44	186	48	69	47	52	530	75.71
21	14C51A3023	85	42	183	42	49	54	48	503	71.86
GT		1785	922	3875	913	1202	1212	1108	11017	


 Officer In Charge Of Exams
 Officer incharge of Exam's
 Sai Spurthi Institute of Technology
 B. Gangaram, Sathupally, 507 303,

No. of stud. appeared : 21
 No. of stud. pass : 18
 No. of stud. fail : 03
 pass% : 85.71%


 Chief Superintendent
 Chief SuperIntendent
 Sai Spurthi Inst. of Technology
 B. Gangaram, SATHUPALLY
 Khammam Dist. 507303




 PRINCIPAL
 Sai Spurthi Institute of Technology
 B. Gangaram (V), Sathupally
 PIN : 507 303, Khammam Dist